

**POWER SUPPLY SYSTEMS**

**Three-phase power strips 3 x 32 A**

**Characteristics**

Anodized aluminium body, in natural colour.  
 Plastic elements: light-grey (similar to RAL 7035) or black (similar to RAL 9005).  
 Dimensions: width 44 mm, depth 70 mm, length according to the table.  
 Removable metal mounting brackets for installing the strip in four directions, at 90° turnings.








**TECHNICAL DATA**


Nominal phase voltage ..... 230 V AC  
 Maximum load ..... 3 x 32 A / 22080 W  
 Protection degree ..... IP 20  
 Supply cable ..... 3 m, white, conductor section 4 mm<sup>2</sup>  
 (other lengths within of 2-5 m scope, available on request)

**SCOPE OF DELIVERY**

Power strip with brackets, set of fixing accessories.  
 Note: For installation in vertical position additional elements needed, must be ordered separately - see pages 100-101.

Installation	Power strip type	Lenght without mounting brackets [mm]	Features					Catalogue number
			Circuit breaker MCB-C16	Ammeter	Number of UTE sockets	Number of IEC C13 sockets	Number of IEC C19 sockets	
vertical 0U	LZ-3321	1097	x			6	6	WZ-LZ33-21-00-000
	LZ-3322	1355	x			18	6	WZ-LZ33-22-00-000
	LZ-3323	1590	x		24			WZ-LZ33-23-00-000
	LZ-3324	1613	x	x		18	6	WZ-LZ33-24-00-000

Type of sockets						
Standard sockets			Sockets on request			
						
UTE (French type) 230 V, 16 A	IEC 60320 C13 230 V, 10 A	IEC 60320 C19 230 V, 16 A	Schuko 230 V, 16 A	IEC 60320 C13 230 V, 10 A with lock	IEC 60320 C13 230 V, 10 A with fuse	IEC 60320 C13, 230 V, 10 A with fuse and check lamp

Cable plug

IEC 60309 3 x 32 A

### Vertically mounted power strips




LZ-3321



LZ-3322



LZ-3323




LZ-3324



Removable metal mounting brackets mounted in 4 directions

**POWER SUPPLY SYSTEMS**

ACCESSORIES FOR VERTICAL INSTALLATION OF POWER STRIPS



Short and long LZ bracket

**LZ brackets**

Brackets for vertical installation of power strips in data open racks.  
Available in short version for 1 power strip and long for 2 power strips.

**Material**

Sheet steel powder painted in light grey (RAL 7035) or black (RAL 9005).

**Scope of delivery**

LZ bracket with fixing accessories.



Open rack with power strips installed to LZ brackets

LZ bracket version	Catalogue number	
	RAL 7035	RAL 9005
short	WZ-5367-53-01-011	WZ-5367-53-01-161
long	WZ-5367-53-02-011	WZ-5367-53-02-161

Package: 1 pc.

## POWER SUPPLY SYSTEMS

### ACCESSORIES FOR VERTICAL INSTALLATION OF POWER STRIPS

#### LZ fixing profile

Fixing profile for vertical installation of power strips in 800 mm wide **SZB IT** cabinets.

#### Material

Sheet steel powder painted in light grey (RAL 7035) or black (RAL 9005).

#### Scope of delivery

LZ fixing profile with fixing accessories.

For cabinet height	Catalogue number	
	RAL 7035	RAL 9005
47U	WZ-5367-52-01-011	WZ-5367-52-01-161
45U	WZ-5367-52-02-011	WZ-5367-52-02-161
42U	WZ-5367-52-03-011	WZ-5367-52-03-161

Package: 1 pc.



Server cabinet with power strips installed to fixing profiles



LZ fixing profile