

SZE3 SYSTEM CABINETS



Versatile bolted enclosure for indoor applications both in automation and power industry, for installing various devices on a mounting plate or an internal rack. The cabinet has a frame structure, based on closed profiles, perforated in two planes. This gives unlimited possibilities for interior installation and allows to easily connect cabinets in series.

SZE3 cabinet comes in 32 varieties of sizes. For more information please contact our Sales Department to choose the suitable for your need. Other untypical dimensions (e.g. with a height of **1800 mm**) are also possible.



Cabinet 800 mm wide including 19" swing frame


REFERENCE CHART

	Total width of the cabinet [mm]	Total depth of the cabinet [mm]	Height of the cabinet without plinth [mm]	
			2000	2200
			Catalogue numbers of cabinets in basic configuration	
Cabinets with single-leaf door	600	400	WZ-SZE3-2032-S10A-00-111-00-0-011	WZ-SZE3-2216-S10A-00-111-00-0-011
		500	WZ-SZE3-2031-S10A-00-111-00-0-011	WZ-SZE3-2215-S10A-00-111-00-0-011
		600	WZ-SZE3-2030-S10A-00-111-00-0-011	WZ-SZE3-2214-S10A-00-111-00-0-011
		800	WZ-SZE3-2029-S10A-00-111-00-0-011	WZ-SZE3-2213-S10A-00-111-00-0-011
Cabinets with double-leaf door	800	400	WZ-SZE3-2028-S10A-00-111-00-0-011	WZ-SZE3-2212-S10A-00-111-00-0-011
		500	WZ-SZE3-2027-S10A-00-111-00-0-011	WZ-SZE3-2211-S10A-00-111-00-0-011
		600	WZ-SZE3-2026-S10A-00-111-00-0-011	WZ-SZE3-2210-S10A-00-111-00-0-011
		800	WZ-SZE3-2025-S10A-00-111-00-0-011	WZ-SZE3-2209-S10A-00-111-00-0-011
Cabinets with double-leaf door	1000	400	WZ-SZE3-2024-S10A-00-111-00-0-011	WZ-SZE3-2208-S10A-00-111-00-0-011
		500	WZ-SZE3-2023-S10A-00-111-00-0-011	WZ-SZE3-2207-S10A-00-111-00-0-011
		600	WZ-SZE3-2022-S10A-00-111-00-0-011	WZ-SZE3-2206-S10A-00-111-00-0-011
		800	WZ-SZE3-2021-S10A-00-111-00-0-011	WZ-SZE3-2205-S10A-00-111-00-0-011
	1200	400	WZ-SZE3-2020-S10A-00-111-00-0-011	WZ-SZE3-2204-S10A-00-111-00-0-011
		500	WZ-SZE3-2019-S10A-00-111-00-0-011	WZ-SZE3-2203-S10A-00-111-00-0-011
		600	WZ-SZE3-2018-S10A-00-111-00-0-011	WZ-SZE3-2202-S10A-00-111-00-0-011
		800	WZ-SZE3-2017-S10A-00-111-00-0-011	WZ-SZE3-2201-S10A-00-111-00-0-011



Cabinet 800 mm wide including mounting plate, without side panels

TECHNICAL DATA



Standard compliance

Cabinets are made in accordance with EN 62208 standard
Protection degree enclosures: **IP 55** compliant with EN 60529

Material and surface finishing

Cabinet's frame - galvanized steel sheet
Doors, panels, plinth - steel sheet powder painted in RAL 7035 (epoxide-polyester paint of coarse-grained structure, applied for internal conditions).
Mounting plate, swing frame - galvanized steel sheet and profiles
Mounting bars - aluzinc steel sheet

SCOPE OF DELIVERY

Cabinet in basic configuration includes: cabinet's frame, front door with a lock that incl. double-bit insert (no handle), rear panel, mounting plate for the full height of the cabinet, top panel, set of sliding gland plates for cabinet's bottom plate. Side panels, plinth, lifting eyes, swing frame and other supplementary accessories should be ordered separately.

CABINET DESIGN

Screwed framework of the cabinet

Closed-profile bolted design for high rigidity. Shape of the profiles ensures full symmetry of the cabinet frame, allowing doors and panels to be installed on either side plane. Each profile has a perforation with pitch of 25 mm on two planes, which makes the interior highly configurable. The material used gives increased corrosion resistance and simple galvanic connection of unpainted parts that are attached directly to the frame. In this way there is a possibility to avoid any additional ground connections.

The perforation is designed for M6 self-tapping screws and special M8 cage nuts.

The perforation modular arrangement in the cabinet frame is compliant with the EN 60917 standard.

Door

Door is made of steel sheet powder coated in RAL 7035. The door can be mounted to the frame at any plane, on four hinges with an opening angle of 150°. With its symmetric design, the door can be mounted for either left or right handing. The door comes with 25 mm perforated stiffening frame as standard. The door has a four-point rod lock as standard. Cabinets with widths of 1000 mm and 1200 mm have a double door; cabinets with widths of 800 and 600 mm have a single leaf door. On request, we can deliver glazed and/or ventilated door, see pages 68-69.

Rear panel and side panels

Simple and quick installation with screws. Due to the frame symmetry, for cabinets of the same width and depth they may be used interchangeably. Rear and side panels are made of steel sheet powder-coated in standard RAL 7035. They have M8 earthing bolts as standard.

Top panel

Steel panel, powder painted in RAL 7035, with a sealing gasket. Serves as the top plate. Comes as a solid version and a version with a 380 x 380 or 380 x 210 mm opening (for blanking plate or fan unit).

Bottom plate

Perforated plate with 3 sliding blanking plates (the same as in SZE2 cabinet). The blanking plates are fixed with special cut-in screws that ensure continuity of equipotential bonding (earthing). Bottom plate and the blanking plates can be removed to achieve a cable grommet virtually as large as the cabinet base.

Mounting plate

The cabinet is fitted with a galvanized mounting plate with a thickness of 3 mm as standard. It can be mounted at any depth of the cabinet. What's important, the mounting plate can be installed as far as the cabinet's back between the rear posts of the frame, all the mounting space in the cabinet can be used completely.

The mounting plate is fitted with guides for easy installation in the cabinet, as standard.

Earthing

All the necessary elements have M8 bolts for earthing them to anywhere in the cabinet frame.


Compatible with third-party installation systems

The SZE3 cabinet framework allows the use of the **Lütze LSC** Wiring System.



See the video:
zpas.pl/qr/f12

SZE3 SYSTEM CABINETS



SZE3 cabinet 800 mm wide, without side panels, intended for baying in rows

REFERENCE CHART – cabinets with a width of 600 mm

Dimensions of cabinet's frame [mm]	Height H	2000	2000	2000
	Width W	600	600	600
	Depth D	400	500	600
Dimensions of mounting plate [mm]	Height HP	1921	1921	1921
	Width WP	496	496	496

		Page	Package	Catalogue numbers		
SZE3 cabinet*			1 pc.	WZ-SZE3-2032-S10A-00-111-00-0-011	WZ-SZE3-2031-S10A-00-111-00-0-011	WZ-SZE3-2030-S10A-00-111-00-0-011
Supplementary accessories**	Side panels	75	2 pcs	WZ-6282-18-08-011	WZ-6282-18-07-011	WZ-6282-18-06-011
	Mounting plates infill	90	1 pc.	WZ-6282-24-02-000	WZ-6282-24-02-000	WZ-6282-24-02-000
	19" symmetrical swing frame	82	1 pc.	–	–	–
	Earthing bar	98	1 pc.	WZ-6282-78-04-000	WZ-6282-78-04-000	WZ-6282-78-04-000
	Shielding bar	98	1 pc.	WZ-6282-79-04-000	WZ-6282-79-04-000	WZ-6282-79-04-000

REFERENCE CHART – cabinets with a width of 800 mm

Dimensions of cabinet's frame [mm]	Height H	2000	2000	2000
	Width W	800	800	800
	Depth D	400	500	600
Dimensions of mounting plate [mm]	Height HP	1921	1921	1921
	Width WP	696	696	696


		Page	Package	Catalogue numbers		
SZE3 cabinet*			1 pc.	WZ-SZE3-2028-S10A-00-111-00-0-011	WZ-SZE3-2027-S10A-00-111-00-0-011	WZ-SZE3-2026-S10A-00-111-00-0-011
Supplementary accessories**	Side panels	75	2 pcs	WZ-6282-18-08-011	WZ-6282-18-07-011	WZ-6282-18-06-011
	Mounting plates infill	90	1 pc.	WZ-6282-24-02-000	WZ-6282-24-02-000	WZ-6282-24-02-000
	19" symmetrical swing frame	82	1 pc.	WZ-6282-63-02-C08	WZ-6282-63-02-C08	WZ-6282-63-02-C08
	Earthing bar	98	1 pc.	WZ-6282-78-03-000	WZ-6282-78-03-000	WZ-6282-78-03-000
	Shielding bar	98	1 pc.	WZ-6282-79-03-000	WZ-6282-79-03-000	WZ-6282-79-03-000

*) SZE2 cabinet - scope of delivery: cabinet's frame, front door with a lock that incl. double-bit insert (no handle), rear panel, mounting plate for the full height of the cabinet, solid top panel, set of sliding gland plates for cabinet's bottom plate. Side panels, plinth, lifting eyes and other supplementary accessories should be ordered separately.

**) Detailed list of supplementary accessories: pages 71-101

SYSTEM CABINETS

SZE3



2000	2200	2200	2200	2200
600	600	600	600	600
800	400	500	600	800
1921	2121	2121	2121	2121
496	496	496	496	496


Catalogue numbers				
WZ-SZE3-2029-S10A-00-111-00-0-011	WZ-SZE3-2216-S10A-00-111-00-0-011	WZ-SZE3-2215-S10A-00-111-00-0-011	WZ-SZE3-2214-S10A-00-111-00-0-011	WZ-SZE3-2213-S10A-00-111-00-0-011
WZ-6282-18-05-011	WZ-6282-18-04-011	WZ-6282-18-03-011	WZ-6282-18-02-011	WZ-6282-18-01-011
WZ-6282-24-02-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000
-	-	-	-	-
WZ-6282-78-04-000	WZ-6282-78-04-000	WZ-6282-78-04-000	WZ-6282-78-04-000	WZ-6282-78-04-000
WZ-6282-79-04-000	WZ-6282-79-04-000	WZ-6282-79-04-000	WZ-6282-79-04-000	WZ-6282-79-04-000

2000	2200	2200	2200	2200
800	800	800	800	800
800	400	500	600	800
1921	2121	2121	2121	2121
696	696	696	696	696

Catalogue numbers				
WZ-SZE3-2025-S10A-00-111-00-0-011	WZ-SZE3-2212-S10A-00-111-00-0-011	WZ-SZE3-2211-S10A-00-111-00-0-011	WZ-SZE3-2210-S10A-00-111-00-0-011	WZ-SZE3-2209-S10A-00-111-00-0-011
WZ-6282-18-05-011	WZ-6282-18-04-011	WZ-6282-18-03-011	WZ-6282-18-02-011	WZ-6282-18-01-011
WZ-6282-24-02-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000
WZ-6282-63-02-C08	WZ-6282-63-01-C08	WZ-6282-63-01-C08	WZ-6282-63-01-C08	WZ-6282-63-01-C08
WZ-6282-78-03-000	WZ-6282-78-03-000	WZ-6282-78-03-000	WZ-6282-78-03-000	WZ-6282-78-03-000
WZ-6282-79-03-000	WZ-6282-79-03-000	WZ-6282-79-03-000	WZ-6282-79-03-000	WZ-6282-79-03-000

DESIGN	SZE3 system cabinets
	INDUSTRIAL ENCLOSURES

SZE3 SYSTEM CABINETS



SZE3 cabinet 1200 mm wide, without side panels, intended for baying in rows

REFERENCE CHART – cabinets with a width of 1000 mm

Dimensions of cabinet's frame [mm]	Height H	2000	2000	2000
	Width W	1000	1000	1000
	Depth D	400	500	600
Dimensions of mounting plate [mm]	Height HP	1921	1921	1921
	Width WP	896	896	896

	Page	Package	Catalogue numbers			
SZE3 cabinet*		1 pc.	WZ-SZE3-2024-S10A-00-111-00-0-011	WZ-SZE3-2023-S10A-00-111-00-0-011	WZ-SZE3-2022-S10A-00-111-00-0-011	
Supplementary accessories**	Side panels	75	2 pcs	WZ-6282-18-08-011	WZ-6282-18-07-011	WZ-6282-18-06-011
	Mounting plates infill	90	1 pc.	WZ-6282-24-02-000	WZ-6282-24-02-000	WZ-6282-24-02-000
	19" symmetrical swing frame	82	1 pc.	–	–	–
	Earthing bar	98	1 pc.	WZ-6282-78-02-000	WZ-6282-78-02-000	WZ-6282-78-02-000
	Shielding bar	98	1 pc.	WZ-6282-79-02-000	WZ-6282-79-02-000	WZ-6282-79-02-000

REFERENCE CHART – cabinets with a width of 1200 mm


Dimensions of cabinet's frame [mm]	Height H	2000	2000	2000
	Width W	1200	1200	1200
	Depth D	400	500	600
Dimensions of mounting plate [mm]	Height HP	1921	1921	1921
	Width WP	1096	1096	1096

	Page	Package	Catalogue numbers			
SZE3 cabinet*		1 pc.	WZ-SZE3-2020-S10A-00-111-00-0-011	WZ-SZE3-2019-S10A-00-111-00-0-011	WZ-SZE3-2018-S10A-00-111-00-0-011	
Supplementary accessories**	Side panels	75	2 pcs	WZ-6282-18-08-011	WZ-6282-18-07-011	WZ-6282-18-06-011
	Mounting plates infill	90	1 pc.	WZ-6282-24-02-000	WZ-6282-24-02-000	WZ-6282-24-02-000
	19" symmetrical swing frame	82	1 pc.	–	–	–
	Earthing bar	98	1 pc.	WZ-6282-78-01-000	WZ-6282-78-01-000	WZ-6282-78-01-000
	Shielding bar	98	1 pc.	WZ-6282-79-01-000	WZ-6282-79-01-000	WZ-6282-79-01-000

*) SZE2 cabinet - scope of delivery: cabinet's frame, front door with a lock that incl. double-bit insert (no handle), rear panel, mounting plate for the full height of the cabinet, solid top panel, set of sliding gland plates for cabinet's bottom plate. Side panels, plinth, lifting eyes and other supplementary accessories should be ordered separately.

**) Detailed list of supplementary accessories: pages 71-101

SYSTEM CABINETS **SZE3**










2000	2200	2200	2200	2200
1000	1000	1000	1000	1000
800	400	500	600	800
1921	2121	2121	2121	2121
896	896	896	896	896

Catalogue numbers				
WZ-SZE3-2021-S10A-00-111-00-0-011	WZ-SZE3-2208-S10A-00-111-00-0-011	WZ-SZE3-2207-S10A-00-111-00-0-011	WZ-SZE3-2206-S10A-00-111-00-0-011	WZ-SZE3-2205-S10A-00-111-00-0-011
WZ-6282-18-05-011	WZ-6282-18-04-011	WZ-6282-18-03-011	WZ-6282-18-02-011	WZ-6282-18-01-011
WZ-6282-24-02-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000
-	-	-	-	-
WZ-6282-78-02-000	WZ-6282-78-02-000	WZ-6282-78-02-000	WZ-6282-78-02-000	WZ-6282-78-02-000
WZ-6282-79-02-000	WZ-6282-79-02-000	WZ-6282-79-02-000	WZ-6282-79-02-000	WZ-6282-79-02-000

2000	2200	2200	2200	2200
1200	1200	1200	1200	1200
800	400	500	600	800
1921	2121	2121	2121	2121
1096	1096	1096	1096	1096

Catalogue numbers				
WZ-SZE3-2017-S10A-00-111-00-0-011	WZ-SZE3-2204-S10A-00-111-00-0-011	WZ-SZE3-2203-S10A-00-111-00-0-011	WZ-SZE3-2202-S10A-00-111-00-0-011	WZ-SZE3-2201-S10A-00-111-00-0-011
WZ-6282-18-05-011	WZ-6282-18-04-011	WZ-6282-18-03-011	WZ-6282-18-02-011	WZ-6282-18-01-011
WZ-6282-24-02-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000	WZ-6282-24-01-000
-	-	-	-	-
WZ-6282-78-01-000	WZ-6282-78-01-000	WZ-6282-78-01-000	WZ-6282-78-01-000	WZ-6282-78-01-000
WZ-6282-79-01-000	WZ-6282-79-01-000	WZ-6282-79-01-000	WZ-6282-79-01-000	WZ-6282-79-01-000

SZE3 SYSTEM CABINETS






HEIGHT DIMENSIONS

Cabinet's catalogue number	H1	H2	H3	H4	H5	H6	H7	H8
WZ-SZE3-2201-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2202-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2203-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2204-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2205-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2206-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2207-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2208-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2209-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2210-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2211-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2212-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2213-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2214-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2215-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2216-S10A-00-111-00-0-011	2200	2190	2070	2050	1101.5	2100	2129	2165
WZ-SZE3-2017-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2018-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2019-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2020-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2021-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2022-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2023-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2024-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2025-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2026-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2027-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2028-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2029-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2030-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2031-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965
WZ-SZE3-2032-S10A-00-111-00-0-011	2000	1990	1870	1850	1001.5	1900	1929	1965

SYSTEM CABINETS

SZE3



Note:
After mounting of side panels the cabinet expands by 5 mm on each side.
An additional distance of 3 mm (gasket gauge) should be considered between bayed cabinets.

WIDTH DIMENSIONS												DEPTH DIMENSIONS										MOUNTING PLATE		PLINTH				
W1	W2	W3	W4	W5	W6	W7	W8	W9	W10	W11	W12	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	HP	WP	WC1	WC2	WC3	DC1	DC2
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	800	828	743.5	630	750	708	810	670	675	750	2121	1096	1200	1080	900	800	680
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	600	628	543.5	430	550	508	610	470	475	550	2121	1096	1200	1080	900	600	480
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	500	528	443.5	330	450	408	510	370	375	450	2121	1096	1200	1080	900	500	380
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	400	428	343.5	230	350	308	410	270	275	350	2121	1096	1200	1080	900	400	280
1000	495	370	350	995	870	356	950	908	943.5	430	875	800	828	743.5	630	750	708	810	670	675	750	2121	896	1000	880	700	800	680
1000	495	370	350	995	870	356	950	908	943.5	430	875	600	628	543.5	430	550	508	610	470	475	550	2121	896	1000	880	700	600	480
1000	495	370	350	995	870	356	950	908	943.5	430	875	500	528	443.5	330	450	408	510	370	375	450	2121	896	1000	880	700	500	380
1000	495	370	350	995	870	356	950	908	943.5	430	875	400	428	343.5	230	350	308	410	270	275	350	2121	896	1000	880	700	400	280
800	795	670	650	795	670	586	750	708	743.5	---	675	800	828	743.5	630	750	708	810	670	675	750	2121	696	800	680	500	800	680
800	795	670	650	795	670	586	750	708	743.5	---	675	600	628	543.5	430	550	508	610	470	475	550	2121	696	800	680	500	600	480
800	795	670	650	795	670	586	750	708	743.5	---	675	500	528	443.5	330	450	408	510	370	375	450	2121	696	800	680	500	500	380
800	795	670	650	795	670	586	750	708	743.5	---	675	400	428	343.5	230	350	308	410	270	275	350	2121	696	800	680	500	400	280
600	595	470	450	595	470	386	550	508	543.5	---	475	800	828	743.5	630	750	708	810	670	675	750	2121	496	600	480	300	800	680
600	595	470	450	595	470	386	550	508	543.5	---	475	600	628	543.5	430	550	508	610	470	475	550	2121	496	600	480	300	600	480
600	595	470	450	595	470	386	550	508	543.5	---	475	500	528	443.5	330	450	408	510	370	375	450	2121	496	600	480	300	500	380
600	595	470	450	595	470	386	550	508	543.5	---	475	400	428	343.5	230	350	308	410	270	275	350	2121	496	600	480	300	400	280
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	800	828	743.5	630	750	708	810	670	675	750	1921	1096	1200	1080	900	800	680
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	600	628	543.5	430	550	508	610	470	475	550	1921	1096	1200	1080	900	600	480
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	500	528	443.5	330	450	408	510	370	375	450	1921	1096	1200	1080	900	500	380
1200	595	470	450	1195	1070	386	1150	1108	1143.5	600	1075	400	428	343.5	230	350	308	410	270	275	350	1921	1096	1200	1080	900	400	280
1000	495	370	350	995	870	356	950	908	943.5	430	875	800	828	743.5	630	750	708	810	670	675	750	1921	896	1000	880	700	800	680
1000	495	370	350	995	870	356	950	908	943.5	430	875	600	628	543.5	430	550	508	610	470	475	550	1921	896	1000	880	700	600	480
1000	495	370	350	995	870	356	950	908	943.5	430	875	500	528	443.5	330	450	408	510	370	375	450	1921	896	1000	880	700	500	380
1000	495	370	350	995	870	356	950	908	943.5	430	875	400	428	343.5	230	350	308	410	270	275	350	1921	896	1000	880	700	400	280
800	795	670	650	795	670	586	750	708	743.5	---	675	800	828	743.5	630	750	708	810	670	675	750	1921	696	800	680	500	800	680
800	795	670	650	795	670	586	750	708	743.5	---	675	600	628	543.5	430	550	508	610	470	475	550	1921	696	800	680	500	600	480
800	795	670	650	795	670	586	750	708	743.5	---	675	500	528	443.5	330	450	408	510	370	375	450	1921	696	800	680	500	500	380
800	795	670	650	795	670	586	750	708	743.5	---	675	400	428	343.5	230	350	308	410	270	275	350	1921	696	800	680	500	400	280
600	595	470	450	595	470	386	550	508	543.5	---	475	800	828	743.5	630	750	708	810	670	675	750	1921	496	600	480	300	800	680
600	595	470	450	595	470	386	550	508	543.5	---	475	600	628	543.5	430	550	508	610	470	475	550	1921	496	600	480	300	600	480
600	595	470	450	595	470	386	550	508	543.5	---	475	500	528	443.5	330	450	408	510	370	375	450	1921	496	600	480	300	500	380
600	595	470	450	595	470	386	550	508	543.5	---	475	400	428	343.5	230	350	308	410	270	275	350	1921	496	600	480	300	400	280


SZE3 SYSTEM CABINETS

REFERENCE CHART

	Total width of the cabinet [mm]	Total depth of the cabinet [mm]	Height of the cabinet without plinth [mm]	
			2000	2200
			Reference numbers of cabinets	
Cabinets with single-leaf door	600	400	2032	2216
		500	2031	2215
		600	2030	2214
		800	2029	2213
	800	400	2028	2212
		500	2027	2211
		600	2026	2210
		800	2025	2209
Cabinets with double-leaf door	1000	400	2024	2208
		500	2023	2207
		600	2022	2206
		800	2021	2205
	1200	400	2020	2204
		500	2019	2203
		600	2018	2202
		800	2017	2201

CATALOGUE NUMBER OF CONFIGURED SZE3 CABINET

WZ-SZE3 - XXXX - XXXX - XX - XXX - XX - X - 011



*) only for 600 mm or 800 mm wide cabinets
 **) only for 800 mm wide cabinets
 ***) only for 800 mm deep cabinets